

PLY UX CLICK

FLOORING

ENGINEERED STRANDWOVEN BAMBOO FLOORING WITH PLYWOOD BASE. TONGUE AND GROOVE CLICK JOINT. FLAT BACK SIDE.

PRODUCT DATA SHEET

house of
bamboo

EST. 1972

WHY SPECIFYING MATTERS

CHOOSING SUSTAINABILITY WITH CONFIDENCE




When you specify materials for your projects, it's not just about meeting technical requirements—it's about making a statement on sustainability. At House of Bamboo®, each of our products is more than just a building material; it's a commitment to ethical and environmentally responsible construction. Our engineered bamboo products come with a suite of certifications that assure you of their quality and sustainability:

- Global GreenTag Certified - Level A and Health Rate - Platinum, equating on a global scale to standards such as WELL, Green Star, LEED, IWBI, and the IS Rating Tool. This indicates the highest levels of environmental and health performance, underscoring the global relevance and rigour of our certifications.
- FSC Certification to guarantee that the bamboo is sourced from responsibly managed forests.

When specifying our materials, you must include these environmental credentials to ensure the quality of product for your clients. Additionally, by choosing House of Bamboo®, you are opting for carbon negative products, which significantly reduce greenhouse gas emissions, further cementing your project's role in combating climate change.

House of Bamboo® is accredited by third parties, ensuring specifiers that the materials they choose are genuine. Selecting House of Bamboo® means choosing eco-friendly products of superior quality and integrity. Not all engineered bamboo products are alike; insist on the best—insist on House of Bamboo®.



PLY UX CLICK

PRODUCT DATA SHEET

CLASSIFICATION

Category	Engineered Scrimber Flooring
Model	Ply UX Click Flooring
Description	Engineered strandwoven bamboo flooring with plywood base. Tongue and groove click joint. Flat back side.

PHYSICAL PROPERTIES

Style	COMBINATION PLYWOOD/BAMBOO
Finishes - Popular Stains For more information on stains available, go to "Finishes Available" Page 04	Pre-Oiled
Dimensions Length x Width x Depth	1850mm [L] x 142mm [W] x 14mm [D]
Profile Click	Unilin angle to angle profile, with micro bevelled edges.

PACKAGING PROPERTIES

Length [L] x Width [W] x Depth [D]	1870mm [L] x 160mm [W] x 90mm [D]
Quantity Per Pack	5 Boards Per Pack
Weight & Size Per Pack Length [L] x Width [W] x Depth [D] = Weight [kg]	1870mm [L] x 160mm [W] x 90mm [D] = 15kg
Weight Per Piece	1850mm Board = 2.5kg

SKU BREAKDOWN

Type	Series	Model	Groove	Width	Height	Code	Colour	SKU
FLOO = Flooring	STRA = Strandwoven	UX	C = Click	142mm	1850mm	PF = Preference Floors	A = Australiana C = Coffee G = Ghost Gum N = Natural O = Outback R = Rustic S = Sandy	FLOO-STRA-UX-C- W142-H1850-PF-A

SKU LIST

FLOO-STRA-UX-C-W142-H1850-PF-A	FLOO-STRA-UX-C-W142-H1850-PF-O
FLOO-STRA-UX-C-W142-H1850-PF-C	FLOO-STRA-UX-C-W142-H1850-PF-R
FLOO-STRA-UX-C-W142-H1850-PF-G	FLOO-STRA-UX-C-W142-H1850-PF-S
FLOO-STRA-UX-C-W142-H1850-PF-N	

PROFILE



Coffee



Rustic



Natural




Ghost Gum



Sandy



Outback



Note: Profile drawing are indicative and not to scale.

STATEMENT OF RESPONSIBILITY

This publication's technical information and application suggestions are based on the best of our current knowledge. Since the material provided here is general in nature, no guarantee of correctness, dependability, or completeness—either expressed or implied—is offered, save as required by Commonwealth or State law. Moreover, no assumption can be made regarding a product's suitability for a given use or application. The responsibility of verifying that products are appropriate for the purposes for which they are intended falls on the owner, his agent, or the contractor.

PRODUCT TECHNICAL SPECIFICATION AND TOLERANCE

PROPERTIES	STANDARD
Indoor Emissions	Class E1 [$<0.124 \text{ mg/m}^3$] [EN 717-1]
JANKA Hardness	14.5kN
Biological Durability	Class 1 (EN 350 / CEN/TS 15083-2)
Fire Rating	Group 3 [AS ISO 9705:2003] : B grade Bfl-s1 (EN 13501-1)
BAL Rating	UP TO BAL 29 - CHECK WITH CERTIFIER
Slip Rating	AS/NZS 4586; 2013 P1
Density of Material kg/m^3	1000 kg/m^3
Moisture Content	8% - 10%
R-Value Thermal Resistance	0.0875

MATERIAL SPECIFICATION

Composition	3mm Strandwoven Bamboo with 11mm Plywood Base
Material Identification	Scientific Classification: Family Poaceae, Genus Phyllostachys, Species P. edulis.
Recommended Use	Flooring and Cladding
Hazard Identification	Not classified as Hazardous according to the Globally Harmonised System of Classification and labeling of Chemicals (GHS), including Work, Health and Safety Regulations, Australia. Not classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail.

*The lifespan of wood, bamboo and other natural materials can be compared by means of a classification according to the European standard EN 350. In the wood industry the classification is common knowledge:

Durability Class 1 = very durable, expected life span 25 years or more // Durability Class 2 = durable, expected life span 15-25 years // Durability Class 3 = moderately durable, expected life span 10-15 years // Durability Class 4 = little durable, expected life span 5-10 years // Durability Class 5 = not durable, expected life span 5 years or less

HANDLING & STORAGE

Precautions for Safe Handling	Material should be stored in a cool dry area. Exposure to moisture may cause mould or mildew to form on the surface of the material.
Minimize Handling	To reduce potential damage to materials, minimize handling and utilize team lifting procedures.

Note: Refer to Installation and Maintenance Manual for more Information.

TALK TO US ABOUT THE BAMBOO YOU NEVER KNEW

Phone: Local or Interstate: 1300 665 703
International: (+61)2 9666 5703

For General Enquiries info@houseofbamboo.com.au

For any Upcoming Projects projects@houseofbamboo.com.au

Address 13 Erith Street, Botany NSW 2019

Opening Hours Monday to Friday: 8:00am - 4:00pm
Saturday: 9:00am - 1:00pm
Sunday: Closed

Website www.houseofbamboo.com.au

Follow Us on Instagram [@house.of.bamboo.australia](https://www.instagram.com/house.of.bamboo.australia)

house of
bamboo

EST. 1972