

HOB CLICK

FLOORING

CONTEMPORARY ENGINEERED FLOORING WITH
A FLAT BOTTOM.

PRODUCT DATA SHEET

house of
bamboo

EST. 1972

WHY SPECIFYING MATTERS

CHOOSING SUSTAINABILITY WITH CONFIDENCE




When you specify materials for your projects, it's not just about meeting technical requirements—it's about making a statement on sustainability. At House of Bamboo®, each of our products is more than just a building material; it's a commitment to ethical and environmentally responsible construction. Our engineered bamboo products come with a suite of certifications that assure you of their quality and sustainability:

- Global GreenTag Certified - Level A and Health Rate - Platinum, equating on a global scale to standards such as WELL, Green Star, LEED, IWBI, and the IS Rating Tool. This indicates the highest levels of environmental and health performance, underscoring the global relevance and rigour of our certifications.
- FSC Certification to guarantee that the bamboo is sourced from responsibly managed forests.

When specifying our materials, you must include these environmental credentials to ensure the quality of product for your clients. Additionally, by choosing House of Bamboo®, you are opting for carbon negative products, which significantly reduce greenhouse gas emissions, further cementing your project's role in combating climate change.

House of Bamboo® is accredited by third parties, ensuring specifiers that the materials they choose are genuine. Selecting House of Bamboo® means choosing eco-friendly products of superior quality and integrity. Not all engineered bamboo products are alike; insist on the best—insist on House of Bamboo®.



HOB CLICK

PRODUCT DATA SHEET

CLASSIFICATION

Series	HOB Flooring
Model	Engineered strandwoven bamboo flooring. With a clip/tongue and groove system for easy installation.
Description	Contemporary Engineered Flooring with a flat bottom.

PHYSICAL PROPERTIES

STYLE	SCRIMBER GRAIN
Finishes - Popular Stains For more information on stains available, go to "Finishes Available" Page 04	Pre-Finished
Dimensions Length [L] x Width [W] x Depth [D]	1850mm [L] x 135mm [W] x 14mm [D]
Profile Click	Unilin angle to angle profile, with micro bevelled edges.

PACKAGING PROPERTIES

Length [L] x Width [W] x Depth [D]	1850mm [L] x 135mm [W] x 14mm [D]
Quantity Per Pack	6 Boards Per Pack
Weight & Size Per Pack Length [L] x Width [W] x Depth [D] = Weight [kg]	1880mm [L] x 160mm [W] x 100mm [D] = 30kg
Weight Per Piece	1850mm Board = 5kg

SKU BREAKDOWN

Type	Series	Model	Groove	Width	Height	Click	Colour	SKU
FLOO = Flooring	STRA = Strandwoven	HOB = House of Bamboo	C = Click	135mm	1850mm	T = Tongue and Groove	CH = Champagne C = Coffee D = Dark Coffee N = Natural	FLOO- STRA-HOB- C-WI35- HI850-C

SKU LIST

FLOO-STRA-HOB-C-WI35-HI850-T-CH	FLOO-STRA-HOB-C-WI35-HI850-T-C
FLOO-STRA-HOB-C-WI35-HI850-T-D	FLOO-STRA-HOB-C-WI35-HI850-T-N

PROFILE



Natural




Champagne



Coffee



Dark Coffee



Note: Profile drawing are indicative and not to scale.

PRODUCT TECHNICAL SPECIFICATION AND TOLERANCE

PROPERTIES	STANDARD
Indoor Emissions	Class E1 [$<0.124 \text{ mg/m}^3$] [EN 717-1]
Hardness [Brinell]	$> 4 \text{ kg/mm}^2$ [EN 1534]
Durability	Class 1 (EN 350 / CEN/TS 15083-2)
Fire Rating	Group 3 [AS ISO 9705:2003] : B grade Bfl-s1 (EN 13501-1)
BAL Rating	N/A
Density of Material kg/m^3	1180 kg/m^3
Tolerance	Length: $\pm 0.5 \text{ mm}$ per m Width: $\pm 0.5 \text{ mm}$ per m Thickness: $\pm 0.5 \text{ mm}$ per m
Moisture Content	9% - 13%
H3 Treatment [For External Applications]	As per Australian Standards 1604

MATERIAL SPECIFICATION

Composition LBC Declare Label Red List Approved Material	87% Phyllostachys Edulis Bamboo Fibre 13% Phenolic Resin
Material Identification	Scientific Classification: Family Poaceae, Genus Phyllostachys, Species P. edulis.
Recommended Use	Flooring
Hazard Identification	Not classified as Hazardous according to the Globally Harmonised System of Classification and labeling of Chemicals (GHS), including Work, Health and Safety Regulations, Australia. Not classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail.

*The lifespan of wood, bamboo and other natural materials can be compared by means of a classification according to the European standard EN 350. In the wood industry the classification is common knowledge:

Durability Class 1 = very durable, expected life span 25 years or more // Durability Class 2 = durable, expected life span 15-25 years //

Durability Class 3 = moderately durable, expected life span 10-15 years // Durability Class 4 = little durable, expected life span 5-10 years //

Durability Class 5 = not durable, expected life span 5 years or less

FINISHES AVAILABLE - CUSTOM ORDERS

Application of Finishes	Please check supplier Product Data Sheet and Safety Data sheets prior to application.
Measurements	Please contact our Sales Team to discuss the available options.

*Please contact our Sales Team to discuss order as cost may differ from standard products.

HANDLING & STORAGE

Precautions for Safe Handling	Material should be stored in a cool dry area. Exposure to moisture may cause mould or mildew to form on the surface of the material.
Minimise Handling	To reduce potential damage to materials, minimize handling and utilize team lifting procedures.
Proper Stacking	Materials should be stored flat on raised blocking of equal thickness and spacing. Recommended spacing for spacers is every 30 to 60 cm.
Acclimatisation	Materials should be allowed to acclimate to the installation environment and humidity prior to installation. Recommended acclimation time is 48 to 72 hours.
Light	Avoid long exposure to direct sunlight for unfinished materials.

STATEMENT OF RESPONSIBILITY

This publication's technical information and application suggestions are based on the best of our current knowledge. Since the material provided here is general in nature, no guarantee of correctness, dependability, or completeness—either expressed or implied—is offered, save as required by Commonwealth or State law. Moreover, no assumption can be made regarding a product's suitability for a given use or application. The responsibility of verifying that products are appropriate for the purposes for which they are intended falls on the owner, his agent, or the contractor.

TALK TO US ABOUT THE BAMBOO YOU NEVER KNEW

Phone: Local or Interstate: 1300 665 703
International: (+61)2 9666 5703

For General Enquiries info@houseofbamboo.com.au

For any Upcoming Projects projects@houseofbamboo.com.au

Address 13 Erith Street, Botany NSW 2019

Opening Hours Monday to Friday: 8:00am - 4:00pm
Saturday: 9:00am - 1:00pm
Sunday: Closed

Website www.houseofbamboo.com.au

Follow Us on Instagram [@house.of.bamboo.australia](https://www.instagram.com/house.of.bamboo.australia)



house of
bamboo
EST. 1972