



WOCA MAINTENANCE GEL

INSTRUCTIONS

RESTORES AND REFINISHES OILED ENGINEERED
BAMBOO FLOORS.

DOCUMENT	REVISION	SUPPLIER
WOCA Maintenance Gel instructions	05/02/2026	House of Bamboo 13 Erith Street, Botany, NSW 2044



WOCA MAINTENANCE GEL

INSTRUCTIONS

PRODUCT INTRODUCTION

WOCA Maintenance Gel is for "re-oiling" oiled engineered bamboo surfaces which restores and refinishes oiled engineered bamboo floors. WOCA Maintenance Gel may also be used as a topcoat on an oiled floor to achieve a satin sheen.

- Maintenance Gel is available in Natural and White.
- Product, room and floor temperature should be at least 15°C.
- Ensure good ventilation during application and drying time.

WHEN USING AS A MAINTENANCE COAT

Damp mop the floor with WOCA Intensive Engineered Bamboo Cleaner (dilute 3 ounces of WOCA Intensive Engineered Bamboo Cleaner to 1 gallon of lukewarm water). Let the floor dry completely. This is a mandatory step that deep cleans the oiled engineered bamboo surface and preps it for the gel application.

WHEN USING TO RAISE THE SHEEN ON A NEW FLOOR

WOCA Intensive Engineered Bamboo Cleaner is not necessary unless the floor has been exposed to traffic.

- Apply WOCA Maintenance Gel onto a white polishing pad in a circular motion, using approx. a quarter of the tube.
- Polish Maintenance Gel uniformly into the floor using a standard buffer. Continue buffing until the engineered bamboo appears saturated and silky matte. Apply more gel as necessary.
- After gel has been applied, polish the entire floor well with polishing cloths or terry cloth towels to remove excess Gel. There should be no excess Gel on the surface.
- The Maintenance Gel will normally dry in 4-6 hours.
- Do not expose floor to water for 2-3 days after finishing.
- After 3 days the floor may be treated with WOCA Natural Soap to provide additional protection against wear and tear.

Tip: For fastest drying time, leave windows slightly open to ensure a steady flow of fresh oxygen.

SPREAD RATE

215-320 s.f./tube

WARNING

Rags, pads or waste soaked with WOCA oil may self-ignite if improperly discarded. Immediately after use, place all rags and waste in a sealed, water filled bucket for proper disposal.

CONTACT US

Phone:	Local or Interstate: 1300 665 703 International: (+61)2 9666 5703
For General Enquiries	info@houseofbamboo.com.au
For any Upcoming Projects	projects@houseofbamboo.com.au
Address	Sydney Head Office & Showroom 13 Erith Street, Botany NSW 2019 Brisbane Showroom - Brisbane Design Centre 66 Merivale Street South Brisbane QLD 4101
Opening Hours	Monday to Friday: 8:00am - 4:00pm Saturday: By Appointment Only Sunday: Closed
Website	houseofbamboo.com.au
Follow Us on Instagram	@house.of.bamboo.australia

house of
bamboo
EST. 1972